



MASTER PL-S 2 Pin

MASTER PL-S 11W/827/2P 1CT/5X10BOX

MASTER PL-S is an efficient low-wattage compact fluorescent lamp, typically used for decorative and orientation purposes. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base

Product data

General Information

Cap-Base	G23 [G23]
Life To 10% Failures (Nom)	6500 h
Life to 50% Failures (Nom)	10000 h
LSF 2000 h Rated	99 %
LSF 4000 h Rated	98 %
LSF 6000 h Rated	95 %
LSF 8000 h Rated	86 %
Light Technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	900 lm
Luminous Flux (Rated) (Nom)	893 lm
Color Designation	Incandescent White
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	77 lm/W
Color Rendering Index (Nom)	82
LLMF 2000 h Rated	94 %
LLMF 4000 h Rated	91 %
LLMF 6000 h Rated	89 %

LLMF 8000 h Rated	86 %
Operating and Electrical	
Power (Nom)	11.6 W
Lamp Current (Nom)	0.155 A
Temperature	
Design Temperature (Nom)	28 °C
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Cap-Base Information	2 Pins
Approval and Application	
Energy Efficiency Label (EEL)	A
Mercury (Hg) Content (Nom)	1.4 mg
Energy Consumption kWh/1000 h	14 kWh

Datasheet, 2020, March 19 data subject to change


MASTER PL-S 2 Pin

Product Data	
Full product code	871150026101470
Order product name	MASTER PL-S 11W/827/2P 1CT/5X10BOX
EAN/UPC - Product	8711500261014
Order code	927936482711
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	50
Material Nr. (12NC)	927936482711
Net Weight (Piece)	43.000 g
ILCOS Code	FSD-11/27/1B-I-G23

Warnings and Safety

Dimensional drawing




PL-S 11W/827/2P LM


Product

MASTER PL-S 11W/827/2P 1CT/5X10BOX

Photometric data




LDPB_PLS2PLM_827-Spectral power distribution B/W



LDPO_PLS2PLM_827-Spectral power distribution Colour

MASTER PL-S 2 Pin

Lifetime



LDLE_PLS2PLM_0002-Life expectancy diagram





© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.