



MASTER PL-C Xtra 4 Pin

MASTER PL-C Xtra 26W/830/4P 1CT/5X10CC

Energy-saving compact fluorescent lamps Compact long-arc low-pressure mercury discharge lamp Envelope consists of 4 parallel narrow fluorescent tubes

Product data

General Information	
Cap-Base	G24Q-3 [G24q-3]
Life to 50% Failures Preheat (Nom)	33000 h
LSF Preheat 2000 h Rated	99 %
LSF Preheat 4000 h Rated	98 %
LSF Preheat 6000 h Rated	97 %
LSF Preheat 8000 h Rated	96 %
LSF Preheat 16000 h Rated	94 %
LSF Preheat 20000 h Rated	90 %
Light Technical	
Colour Code	830 [CCT of 3000K]
Luminous Flux (Nom)	1800 lm
Luminous Flux (Rated) (Nom)	1800 lm
Colour Designation	Warm White (WW)
Colour Temperature, horizontal (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	75 lm/W
Colour Rendering Index horiz (Nom)	>80
Depreciation 2000 hrs	92 %
LLMF 4000 h Rated	88 %
Depreciation 5000 hrs	86 %
LLMF 8000 h Rated	84 %

LLMF 12000 h Rated	81 %
LLMF 16000 h Rated	79 %
LLMF 20000 h Rated	78 %
Operating and Electrical	
Power (Rated) (Nom)	26.0 W
Lamp Current (Nom)	0.300 A
Temperature	
Design Temperature (Nom)	28 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Cap-Base Information	4P
Approval and Application	
Energy Efficiency Label	A
Mercury (Hg) Content (Nom)	3.0 mg
Energy Consumption kWh/1000 h	29 kWh

MASTER PL-C Xtra 4 Pin


Product Data

Full product code	871150089889070
Order product name	MASTER PL-C Xtra 26W/830/4P 1CT/5X10BOX
EAN/UPC - Product	8711500898890
Order code	89889070
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	50
Material Nr. (12NC)	927906383014
Net Weight (Piece)	60.400 g
ILCOS Code	FSQ-26/30/1B-E-G24q=3

Warnings and Safety

Dimensional drawing




PL-C Xtra 26W/830/4P

Product

MASTER PL-C Xtra 26W/830/4P 1CT/5X10BOX

Photometric data

...





Lightcolour /830

Lightcolour /830



MASTER PL-C Xtra 4 Pin

Lifetime



LDLE_PLC4PLTG_0001-Life expectancy diagram

LDLE_PLC4PLTG_0002-Life expectancy diagram



LDLM_PLC4PLTG_0001-Lumen maintenance diagram

