



MASTER CityWhite CDO-ET

MASTER CityWhite CDO-ET Plus 50W/828 E27

Ceramic metal halide lamp, with opalized ovoid outer bulb shape, used in outdoor offering pleasant white light

Product data

General Information	
Cap-Base	E27 [E27]
Operating Position	UNIVERSAL [Any or Universal (U)]
Life to 5% Failures (Nom)	13000 h
Life To 10% Failures (Nom)	15000 h
Life to 20% Failures (Nom)	17000 h
Life to 50% Failures (Nom)	21000 h
LSF 2000 h Rated	99 %
LSF 4000 h Rated	99 %
LSF 6000 h Rated	99 %
LSF 8000 h Rated	98 %
LSF 12000 h Rated	90 %
LSF 16000 h Rated	74 %
LSF 20000 h Rated	50 %
Light Technical	
Color Code	828 [CCT of 2800K]
Luminous Flux (Rated) (Nom)	5150 lm
Color Designation	Warm White (WW)
Chromaticity Coordinate X (Nom)	443
Chromaticity Coordinate Y (Nom)	399
Correlated Color Temperature (Nom)	2800 K

Luminous Efficacy (rated) (Nom)	99 lm/W
Color Rendering Index (Min)	80
Color Rendering Index (Nom)	83
LLMF 2000 h Rated	98 %
LLMF 4000 h Rated	96 %
LLMF 6000 h Rated	92 %
LLMF 8000 h Rated	88 %
LLMF 12000 h Rated	80 %
LLMF 16000 h Rated	74 %
LLMF 20000 h Rated	71 %
Ratio Scotopic/Photopic Lumens	1.30
Operating and Electrical	
Power (Nom)	52 W
Lamp Current Run-Up (Max)	0.9 A
Lamp Current (EM) (Nom)	0.775 A
Ignition Supply Voltage (Max)	198 V
Ignition Supply Voltage (Min)	198 V
Re-Ignition Time (Min) (Max)	720 s
Ignition Time (Max)	30 s
Voltage (Max)	86 V
Voltage (Min)	70 V

MASTER CityWhite CDO-ET

Voltage (Nom)	78 V
Controls and Dimming	
Dimmable	Yes
Run-Up Time 90% (Max)	3 min
Mechanical and Housing	
Bulb Finish	Coated glass
Approval and Application	
Energy Efficiency Label (EEL)	A+
Mercury (Hg) Content (Nom)	5.4 mg
Energy Consumption kWh/1000 h	57 kWh
UV	
Pet (Niosh) (Min)	8 h/500lx

Luminaire Design Requirements

Bulb Temperature (Max)	350 °C
Cap-Base Temperature (Max)	200 °C
Product Data	
Full product code	871829118563500
Order product name	MASTER CityWhite CDO-ET Plus 50W/828 E27
EAN/UPC - Product	8718291185635
Order code	928155008835
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	24
Material Nr. (12NC)	928155008835
Net Weight (Piece)	57.000 g
ILCOS Code	ME 50/28/1B-H-E27


Warnings and Safety

Dimensional drawing


Product	D (max)	C (max)
MASTER CityWhite CDO-ET Plus 50W/828 E27	71 mm	156 mm

CDO-ET Plus 50W/828 E27

Photometric data





LDLD_CDO-ET_0004-Light distribution diagram



LDPO_CDO-ET_0001-Spectral power distribution Colour

MASTER CityWhite CDO-ET

Lifetime



LDLE_CDO-ET_0004-Life expectancy diagram

