



Softone

Softone 18W WW E27 220-240V 1PF/6

Extremely compact covered energy-saving lamp that produces soft white light

Product data

General Information	
Cap base	E27 [E27]
Nominal lifetime (nom.)	10000 h
Switching cycle	30000X
Light Technical	
Colour code	827 [CCT of 2,700 K]
Luminous flux (nom.)	1050 lm
Luminous flux (rated) (nom.)	1050 lm
Colour designation	Warm white (WW)
Lumen maintenance 2,000 hours (nom.)	83 %
Chromaticity coordinate X (nom.)	463
Chromaticity coordinate Y (nom.)	420
Correlated colour temperature (nom.)	2700 K
Luminous efficacy (rated) (nom.)	55 lm/W
Color rendering index (min.)	81
Color rendering index (nom.)	82
LLMF at end of nominal lifetime (nom.)	65 %
Operating and Electrical	
Input frequency	50 or 60 Hz
Power (Rated) (Nom)	18.0 W
Lamp current (nom.)	140 mA
Starting time (nom.)	1.0 s
Warm-up time to 60% light (min.)	10 s

Warm-up time to 60% light (max.)	100 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V

Controls and Dimming	
Dimmable	no


Approval and Application	
Energy efficiency label (EEL)	A
Mercury (Hg) content (max.)	2.0 mg
Mercury (Hg) content (nom.)	1.5 mg
Energy Consumption kWh/1000 h	18 kWh

Product Data	
Full product code	871829168278300
Order product name	Softone 18W WW E27 220-240V 1PF/6
EAN/UPC – product	8718291682783
Order code	68278300
Numerator – quantity per pack	1
Numerator – packs per outer box	6
Material no. (12NC)	929689118902
Net weight (piece)	0.101 kg

Warnings and Safety

- Breaking a lamp is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a closed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.
- Compact fluorescent lamps have to be treated as special waste, they must be taken to your local waste facilities for recycling. The European Lighting Industry has set up an infrastructure, capable of recycling mercury, other metals, glass etc.

Dimensional drawing



Product	D (max)	C (max)	F (max)
Softone 18W WW E27 220-240V 1PF/6	71.0 mm	137.0 mm	47.3 mm

Ambiance 18W WW E27 220-240V 50/60Hz

