



MASTER VALUE LEDspot MV

MASTER LED spot VLE D 4.9-50W GU10 930 36D

Delivering a warm, halogen-like accent beam, MASTER VALUE LEDspot MV is a perfect for spot lighting. Thanks to its high CRI, it realizes more natural colors, enabling cozy and comfortable ambience for residential, hospitality and emphasize the beauty of merchandise in retail. These LEDspots have the familiar look and feel of glass spots, keeping the classic beauty of glass spots and adding the strong performance from LED technology. The dimming function enables to create the desired atmosphere and it works with broad selection of dimmers.

Product data

Community of the community of		
General Information		
Cap-Base	GU10 [GU10]	
EU RoHS compliant	Yes	
Nominal Lifetime (Nom)	25000 h	
Switching Cycle	50000X	
Technical Type	4.9-50W	
Light Technical		
Color Code	930 [CCT of 3000K]	
Beam Angle (Nom)	36°	
Luminous Flux (Nom)	365 lm	
Luminous Intensity (Nom)	650 cd	
Color Designation	White (WH)	
Correlated Color Temperature (Nom)	3000 K	
Luminous Efficacy (rated) (Nom)	82.65 lm/W	
Color Consistency	<6	
Color Rendering Index (Nom)	90	
LLMF At End Of Nominal Lifetime (Nom) 70 %		

Luminous Flux in 90° Cone (Rated)	365 lm
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	4.9 W
Lamp Current (Nom)	27 mA
Wattage Equivalent	50 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.8
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	80 °C
Controls and Dimming	
Dimmable	Yes

Datasheet, 2020, March 4 data subject to change


MASTER VALUE LEDspot MV

Approval and Application		
Energy Efficiency Label (EEL)	A+	
Suitable For Accent Lighting	Yes	
Energy Consumption kWh/1000 h	5 kWh	
Product Data		
Full product code	871869670787600	
Order product name	MASTER LED spot VLE D 4.9-50W GU10 930	
	36D	

EAN/UPC - Product	8718696707876
Order code	929001348902
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001348902
Net Weight (Piece)	0.038 kg
	-

Warnings and Safety


Dimensional drawing




GU10 230V5W-50W 355lm 36D 3000K GU10 Dim

Product	D	С
MASTER LED spot VLE D 4.9-50W GU10 930 36D	50 mm	54 mm

Photometric data




MASTER LEDspotMV 50W GU10 930 36D 365lm



MASTER LEDspotMV 35W GU10 930 36D 270lm


MASTER VALUE LEDspot MV


Photometric data



MASTER LEDspotMV 50W GU10 36D 355lm

Lifetime





MASTER LEDspotMV GU10 922-927 36D

MASTER LEDspotMV GU10 922-927 36D



© 2020 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.