

# CorePro LEDlinear MV

## CorePro LEDlinear ND 7.5-60W R7S 78mm830


CorePro R7S is a retrofit replacement for traditional double-ended linear R7S lamps. Its 'light all around' design delivers light that is just like a halogen lamp. Within the range, you can choose dimmable products which have deep a dimming function that enables a cosy ambience when using a dimmable fixture.

### Product data

General Information		Warm-up time to 60% light (nom.)	
Cap base	R7S [ R7s]		0.5 s
EU RoHS compliant	Yes	Power factor (nom.)	0.5
Nominal lifetime (nom.)	15000 h	Voltage (Nom)	220-240 V
Switching cycle	50000X	<b>Temperature</b>	
Technical type	7.5-60W	T-Case maximum (nom.)	104 °C
<b>Light Technical</b>		<b>Controls and Dimming</b>	
Colour code	830 [ CCT of 3,000 K]	Dimmable	No
Luminous flux (nom.)	950 lm	<b>Approval and Application</b>	
Colour designation	White (WH)	Energy efficiency label (EEL)	A++
Correlated colour temperature (nom.)	3000 K	Energy Consumption kWh/1000 h	8 kWh
Luminous efficacy (rated) (nom.)	126.67 lm/W	<b>Product Data</b>	
Colour consistency	<6	Full product code	871869671394500
Color rendering index (nom.)	80	Order product name	CorePro LEDlinear ND 7.5-60W R7S 78mm830
LLMF at end of nominal lifetime (nom.)	70 %	EAN/UPC – product	8718696713945
<b>Operating and Electrical</b>		Order code	71394500
Input frequency	50 to 60 Hz	Numerator – quantity per pack	1
Power (Rated) (Nom)	7.5 W	Numerator – packs per outer box	10
Lamp current (nom.)	70 mA	Material no. (12NC)	929001339002
Wattage equivalent	60 W	Net weight (piece)	0.045 kg
Starting time (nom.)	0.5 s		

# CorePro LEDlinear MV



## Dimensional drawing



Product	D	C
CorePro LEDlinear ND 7.5-60W R7S 78mm830	29 mm	78 mm


Linear 220V 8-60W 806lm 3000K R7S ND

## Photometric data



LEDspot, PAR38 13W 1050lm 3000K

CorePro LEDlinear MV 60W R7S 830 Linear




CorePro LEDlinear MV 60W R7S 830 Linear

# CorePro LEDlinear MV

## Lifetime



LEDbulb 60W E14 827 FR B38



LEDbulb 60W E14 827 FR B38

