



MASTER SON-T APIA Plus Xtra

MASTER SON-T APIA Plus Xtra 400W E40 1SL/12

High Pressure Sodium lamp with clear tubular outer bulb shape, high output and longest reliable lifetime

Product data

General Information	
Cap base	E40 [E40]
Operating position	UNIVERSAL [Any/Universal]
Life to 5% failures (nom.)	28000 h
Life to 10% failures (nom.)	32000 h
Life to 20% failures (nom.)	36500 h
Life to 50% failures (nom.)	45000 h
System description	External Ignitor (E)
LSF 2000 h Rated	100 %
LSF 4000 h Rated	99 %
LSF 6000 h Rated	99 %
LSF 8000 h Rated	99 %
LSF 12000 h Rated	99 %
LSF 16000 h Rated	99 %
LSF 20000 h Rated	99 %
Light Technical	
Colour code	- [Not Specified]
Luminous flux (rated) (nom.)	55000 lm
Chromaticity coordinate X (nom.)	525
Chromaticity coordinate Y (nom.)	425
Correlated colour temperature (nom.)	1950 K

Luminous efficacy (rated) (nom.)	141 lm/W
Color rendering index (max.)	25
LLMF 2000 h Rated	99 %
LLMF 4000 h Rated	98 %
LLMF 6000 h Rated	97 %
LLMF 8000 h Rated	96 %
LLMF 12000 h Rated	96 %
LLMF 16000 h Rated	95 %
LLMF 20000 h Rated	94 %
Ratio Scotopic/Photopic Lumens	0.60

Operating and Electrical

Power (Rated) (Nom)	390 W
Lamp current (EM) (nom.)	4.5 A
Ignition supply voltage (max.)	198 V
Ignition peak voltage (max.)	2800 V
Re-ignition time (min.) (max.)	120 s
Ignition time (max.)	10 s
Voltage (Max)	115 V
Voltage (Min)	85 V
Voltage (Nom)	100 V

MASTER SON-T APIA Plus Xtra

Controls and Dimming

Dimmable	yes
Run-up time 90% (max.)	5 min

Mechanical and Housing

Bulb finish	Clear
-------------	-------

Approval and Application

Energy efficiency label (EEL)	A++
Mercury (Hg) content (nom.)	20 mg
Energy Consumption kWh/1000 h	429 kWh

Luminaire Design Requirements


Bulb temperature (max.)	450 °C
Cap base temperature (max.)	250 °C

Product Data

Full product code	872790092741200
Order product name	MASTER SON-T APIA Plus Xtra 400W E40 1SL/12
EAN/UPC – product	8727900927412
Order code	92741200
Local Code	400SONTPLUSXTRA
Numerator – quantity per pack	1
Numerator – packs per outer box	12
Material no. (12NC)	928150519227
Net weight (piece)	0.175 kg
ILCOS Code	ST-400-H/E-E40

Warnings and Safety

Dimensional drawing





SON-T APIA Plus Xtra 400W E40

Product

MASTER SON-T APIA Plus Xtra 400W E40 1SL/12


Photometric data



LDPO_SONTAPIA_0003-Spectral power distribution Colour

MASTER SON-T APIA Plus Xtra

Lifetime



LDLE_SONTAPIA_0005-Life expectancy diagram

