

ORIGINAL - GLASS WEDGE BASE W3W

Original spare part



The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Product datasheet

Technical data

Product information

Order reference	2821
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	3 W
Nominal voltage	12.0 V
Nominal wattage	3.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	22 lm
Luminous flux tolerance	±30 %

Dimensions & weight



Diameter	10.3 mm
Product weight	1.34 g
Length	26.8 mm

Lifespan

Lifespan B3	1300 h
Lifespan Tc	4000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W3W
--------------	-----

Country specific categorizations

Order reference	2821
-----------------	------

Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300838663	OSRA2821	8328252	4739282	-
4050300524788	OSRA2821	8328252	4739282	-
4050300838663	OSRA2821	8328252	4739282	-
4050300925745	OSRA2821BLI2	-	-	-
4050300925745	OSRA2821BLI2	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300838663	ORIGINAL - WEDGE BASE W3W	Unpacked 1	- x - x -		
4050300524788	ORIGINAL - WEDGE BASE W3W	Folding carton box 10	46 mm x 29 mm x 112 mm	0.15 dm ³	24.40 g
4008321094438	ORIGINAL - WEDGE BASE W3W	Shipping carton box 50	148 mm x 115 mm x 55 mm	0.94 dm ³	151.50 g
4050300925745	ORIGINAL - WEDGE BASE W3W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	8.00 g
4008321140371	ORIGINAL - WEDGE BASE W3W	Shipping carton box 20	137 mm x 105 mm x 81 mm	1.17 dm ³	133.50 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Product datasheet



OSRAM