

LEDinspect HEADLAMP 300

LED inspection lights for privat use




300 lm or 60 lm

LED Headlamp with two light settings:
300 lumen or 60 lumen



Equipped with 1 high-quality, long-lasting LED

More light output for fatigue-free working



Batteries included

Three AA batteries are included in the scope of supply



Headlamp with adjustable angle, beam, and brightness – delivers ideal, reliable light

Product datasheet

Technical data

Product information

Order reference	LEDIL209
Application (Category and Product specific)	LED inspection lights for personal use


Electrical data

Nominal wattage	5.00 W
Nominal voltage	3.7 V

Photometrical data

Color temperature	7000 K
Luminous flux	300 lm
Light color LED	White

Dimensions & weight



Product weight	247.00 g
Length	82.0 mm
Width	42.0 mm
Height	68.0 mm

Colors & materials

Base color	Black
------------	-------

Lifespan

Guarantee	3 years
-----------	---------

Additional product data

Type of Battery	Dry battery
-----------------	-------------

Product datasheet

Number of included batteries	3XAA
Scope of battery	Yes
Battery	Dry battery

Capabilities

Technology	LED
------------	-----

Certificates & standards

Type of protection	IP44
Standards	CE

Country specific categorizations

Order reference	LEDIL209
-----------------	----------

Equipment / Accessories




- 3 AA dry batteries included

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899425033	LEDinspect HEADLAMP 300	Blister 1	270 mm x 220 mm x 81 mm	4.81 dm ³	327.00 g
4052899425040	LEDinspect HEADLAMP 300	Shipping carton box 4	342 mm x 238 mm x 294 mm	23.93 dm ³	1655.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction LEDinspect HEADLAMP 300 LEDIL209 User manual
 Movie application Image Film LEDinspect (EN)
 Movie application Image Film LEDinspect Family (EN)

Legal advice

Product datasheet

Not approved for use as lighting in road traffic.

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.