

## HPL 93728 LL 575 W 240 V

HPL | High-performance lamps



### Product family benefits

- Optimum use of the generated light in the spotlight



# Product datasheet

## Technical data

### Product information

Order reference	93728 LL
-----------------	----------


### Electrical data

Nominal voltage	240 V
Nominal wattage	575.00 W

### Photometrical data

Nominal luminous flux	11780 lm
Color temperature	3050 K
Color rendering index Ra	100

### Dimensions & weight



Diameter	19.0 mm
Length	104.0 mm
Length with base excl. base pins/connection	98.00 mm
Light center length (LCL)	60.3 mm
Illuminated field	14.0*14.0 mm <sup>2</sup> <sup>1)</sup>
Filament diameter	14.0 mm

<sup>1)</sup> Type of filament 6-C8

### Lifespan

Lifespan	1500 h
----------	--------

### Additional product data

Base (standard designation)	G9.5
-----------------------------	------

## Product datasheet

### Capabilities

Burning position	Any
------------------	-----

### Certificates & standards

EEL – Energy Label	C
--------------------	---

### Country specific categorizations

Order reference	93728 LL
ANSI code	Other

## Product datasheet

---

### Safety advice

To prevent personal injury or damage to property, halogen lamps may only be operated in suitable luminaires designed with suitable mechanisms (cover panel etc.) to ensure that in the event of a lamp bursting no parts/shards can escape and that during operation no ultraviolet radiation can escape. Because of the heat produced only heat-resistant lamp connections (holders) may be used. Do not operate near people, or any materials that are flammable, sensitive to heat or affected by drying out. Detailed information is available on request.

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321174444	HPL 93728 LL 575 W 240 V	Folding carton box 1	40 mm x 40 mm x 129 mm	0.21 dm <sup>3</sup>	68.00 g
4008321174451	HPL 93728 LL 575 W 240 V	Shipping carton box 12	174 mm x 147 mm x 145 mm	3.71 dm <sup>3</sup>	947.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

---