

Hal with Reflector 93518 300 W 120 V

Halogen lamps with reflector MR16



Product family features

- Xenon instead of krypton as the filler gas (XENOPHOT HLX versions)
- Luminous flux up to 10 % higher with same power consumption (XENOPHOT HLX versions)



Technical data

Product information

Order reference	93518 300W GY5.
-----------------	-----------------

Electrical data

Nominal voltage	120 V
Nominal wattage	300.00 W


Photometrical data

Nominal luminous flux	525 lm
Color rendering index Ra	100

Light technical data

Focal length	152.5 mm
--------------	----------

Dimensions & weight



Diameter	51.0 mm
Length	45.0 mm

Lifespan

Lifespan	35 h
----------	------

Additional product data

Coating	Dichroic
Base (standard designation)	GY5.3

Capabilities

Burning position	s90
------------------	-----

Product datasheet

Application	Other
-------------	-------

Certificates & standards

EEI – Energy Label	E
--------------------	---


Country specific categorizations

ANSI code	ELH
Order reference	93518 300W GY5.

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4050300350059	OSRH93518	-	-	-
4050300350059	OSRH93518	-	-	-

Product datasheet



Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300350059	Hal with Reflector 93518 300 W 120 V	Folding carton box 1	44 mm x 44 mm x 55 mm	0.11 dm ³	36.00 g
4050300350066	Hal with Reflector 93518 300 W 120 V	Shipping carton box 24	195 mm x 137 mm x 154 mm	4.11 dm ³	889.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further technical information please refer to the following OSRAM brochure:
“Technology and applications, Low-voltage tungsten-halogen lamps”
“Halogen lamps, low and medium voltage for entertainment, technical and medical applications” cross reference list

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.