

## STUDIOLINE 55 W/3200 K

STUDIOLINE Lamps | Compact fluorescent lamps for SSTV



### Areas of application

- Film shooting
- Matched to use with electronic cameras

### Product family benefits

- Can be used with halogen or HMI lamps without any problems

### Product family features

- Special phosphor combination



## Product datasheet

### Technical data


#### Electrical data

Nominal wattage	55.00 W
Nominal voltage	100 V

#### Photometrical data

Nominal luminous flux	3800 lm
Luminous flux	3800 lm
Color temperature	3200 K
Luminous efficacy	69 lm/W

#### Dimensions & weight



Length	535.9 mm
--------	----------

#### Lifespan

Lifespan	8000 h <sup>1)</sup>
----------	----------------------

<sup>1)</sup> Failure rate 2 % the first 8000 h. This statement must be restricted only to attributable lamp faults.

#### Additional product data

Base (standard designation)	G11
-----------------------------	-----

#### Capabilities

Burning position	Other
------------------	-------

#### Certificates & standards

EEI – Energy Label	B
--------------------	---

#### Country specific categorizations

## Product datasheet

<b>ANSI code</b>	Other
------------------	-------

---

### Country specific information

<b>Product code</b>	<b>METEL code</b>	<b>SEG-No.</b>	<b>STK-Number</b>	<b>UK Org</b>
4050300575292	OSRSTUDIO5531	-	-	-
4050300575292	OSRSTUDIO5531	-	-	-

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300575292	STUDIOLINE 55 W/3200 K	Folding carton box 1	- x - x -		
4050300575308	STUDIOLINE 55 W/3200 K	Shipping carton box 10	136 mm x 103 mm x 578 mm	8.10 dm <sup>3</sup>	1683.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.