

Product datasheet ST 151 LONGLIFE

Starters for series operation at 230 V AC






Product datasheet

Technical data

Electrical data

| Nominal voltage | 220240 V | |
|-----------------|----------|--|
| Nominal wattage | 22.00 W | |
| Mains frequency | 5060 Hz | |

Dimensions & weight



| Length | 40.3 mm |
|----------------|---------|
| Product weight | 6.43 g |
| Diameter | 21.5 mm |

Additional product data

| Product remark | Starters are available in two different designs, with identical technical features | |
|-----------------------------------|------------------------------------------------------------------------------------|--|
| Appropriate disposal acc. to WEEE | Yes | |

Capabilities

| | T . |
|----------|-----|
| Dimmable | No |

Country specific categorizations

| Order reference ST 151 LONGLIFE | |
|---------------------------------|--|
|---------------------------------|--|

Product datasheet

SERIES CIRCUIT FOR TWO LAMPS

Logistical Data

| Product code | Product description | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume | Gross weight |
|---------------|---------------------|------------------------------------------------|--------------------------------------|-----------------------|--------------|
| 4050300012803 | ST 151 LONGLIFE | Shipping carton box 1200 Pieces Unpacked | 400 mm x 235 mm x 325 mm | 30.55 dm ³ | 8362.00 g |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM is distribution partner of LEDVANCE of LAMPS



OSRAM GmbH Marcel-Breuer-Strasse 6 80807 Munich, Germany