

ORIGINAL - GLASS WEDGE BASE W16W

Original spare part



The cost-effective original spare parts

The ORIGINAL signal lamps with glass wedge bases are available as original spare parts for different lamp types. Discover these reliable lamps and OSRAM's proven high quality.

Product datasheet

Technical data

Product information

Order reference	921
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	19.4 W
Nominal voltage	12.0 V
Nominal wattage	16.00 W
Test voltage	13.5 V
Power input tolerance	±10 %

Photometrical data

Luminous flux	310 lm
Luminous flux tolerance	±20 %

Dimensions & weight



Diameter	16.0 mm
Product weight	2.00 g
Length	38.0 mm

Lifespan

Lifespan B3	400 h
Lifespan Tc	1000 h

Additional product data

Base (standard designation)	W2.1x9.5d
-----------------------------	-----------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	W16W
--------------	------

Country specific categorizations

Order reference	921
-----------------	-----

Country specific information

Product code	METEL code	SEG-No.	STK-Number	UK Org
4008321100948	OSRA921	-	-	-
4008321100955	OSRA921	-	-	-
4008321100948	OSRA921	-	-	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321100948	ORIGINAL - WEDGE BASE W16W	Unpacked 1	- x - x -		
4008321100955	ORIGINAL - WEDGE BASE W16W	Folding carton box 10	54 mm x 40 mm x 138 mm	0.30 dm ³	33.00 g
4008321100962	ORIGINAL - WEDGE BASE W16W	Shipping carton box 50	205 mm x 144 mm x 64 mm	1.89 dm ³	227.00 g
4008321349507	ORIGINAL - WEDGE BASE W16W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	9.00 g
4008321349514	ORIGINAL - WEDGE BASE W16W	Shipping carton box 20	79 mm x 105 mm x 189 mm	1.57 dm ³	142.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



