

ORIGINAL - METAL BASE P21/4W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with metal bases feature - like all ORIGINAL products from OSRAM - a reliable OEM quality. Due to the wide product range, the lamps can be used as original spare lamps for different applications.

Product datasheet

Technical data

Product information

Order reference	7225
Application (Category and Product specific)	Auxiliary lamp


Electrical data

Power input	25 / 5 W
Nominal voltage	12.0 V
Nominal wattage	21/4 W
Test voltage	13.5 / 13.5 V
Power input tolerance	±6 / ±10 %

Photometrical data

Luminous flux	440/15 lm
Luminous flux tolerance	±15 / ±20 %

Dimensions & weight



Diameter	25.0 mm
Product weight	10.00 g
Length	52.0 mm

Lifespan

Lifespan B3	180 / 1250 h ¹⁾
Lifespan Tc	290 / 4000 h ¹⁾

¹⁾ Filament 1 / Filament 2

Additional product data

Base (standard designation)	BAZ15d
-----------------------------	--------

Product datasheet

Capabilities

Technology	AUX
------------	-----

Certificates & standards

ECE category	P21/4W
Approval marks – approval	E1 approval

Country specific categorizations

Order reference	7225
-----------------	------

Country specific information

Product code	METEL code	SEG-No.	STK number	UK Org
4050300891514	OSRA7225	-	-	-
4050300891521	OSRA7225	-	-	-
4050300891514	OSRA7225	-	-	-
4050300925547	-	-	4730330	-
4050300925547	-	-	4730330	-

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891514	ORIGINAL - METAL BASE P21/4W	Unpacked 1	39 mm x 20 mm x 22 mm	0.02 dm ³	10.25 g
4050300891521	ORIGINAL - METAL BASE P21/4W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	104.80 g
4008321091093	ORIGINAL - METAL BASE P21/4W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	574.00 g
4050300925547	ORIGINAL - METAL BASE P21/4W	Blister 2	95 mm x 70 mm x 18 mm	0.12 dm ³	25.00 g
4008321140531	ORIGINAL - METAL BASE P21/4W	Shipping carton box 20	230 mm x 102 mm x 130 mm	3.05 dm ³	335.60 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Product datasheet

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



OSRAM