## Product datasheet

# **OSRAM**

# ORIGINAL - FESTOON -

## Original spare part





## The cost-effective original spare parts for trucks

The ORIGINAL festoon lamps with OSRAM's reliable OEM quality can be used as original spare parts for 24 volt lamps. The typical application areas of the lamps are number plate and side position lights as well as interior lighting and reading lights.

## Product datasheet

## Technical data

## **Product information**

Order reference	6424	
Application (Category and Product specific)	Auxiliary lamp	


## **Electrical data**

Power input	7 W
Nominal voltage	24.0 V
Nominal wattage	5.00 W
Power input tolerance	±10 %
Test voltage	28.0 V

## Photometrical data

Luminous flux	60 lm
Luminous flux tolerance	±20 %

## **Dimensions & weight**



Length	41.0 mm
Diameter	11.0 mm
Product weight	3.22 g

## Lifespan

Lifespan B3	1000 h
Lifespan Tc	2000 h

## Additional product data

Base (standard designation)	SV8.5-8
-----------------------------	---------

## Product datasheet

## **Capabilities**

Technology	AUX
------------	-----

#### Certificates & standards

ECE category	-
--------------	---

## **Country specific categorizations**

Order reference	6424

#### Country specific information

Product code	METEL code	SEG number	STK number	UK Org
4050300891712	OSRA6424	8328192	4738005	-
4050300891729	OSRA6424	8328192	4738005	-
4050300891712	OSRA6424	8328192	4738005	-

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300891712	ORIGINAL FESTOON 6424	Unpacked 1	42 mm x 10 mm x 10 mm	0.00 dm <sup>3</sup>	5.33 g
4050300891729	ORIGINAL FESTOON 6424	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm <sup>3</sup>	54.20 g
4008321090829	ORIGINAL FESTOON 6424	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm <sup>3</sup>	321.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### **Application advice**

For more detailed application information and graphics please see product datasheet.

## Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.















