

165
kWh/1000h

A
energy class

73
lumens/watt

Arcstream™ Double Ended RG-3

ARC150/AQUA/TD/865/RX7S-24
35284

Product information

High brightness, high quality white and coloured light with good colour rendition, excellent colour consistency and energy efficiency make these lamps suitable for retail environments and commercial interiors. Lamps with UVC feature are optimal for museum and retail environments where UV control is important.

Application areas



Retail



Industrial

Product data

Product Code	35284
Light Center Length [mm]	66
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	135.4
Net weight per piece [g]	74
Gross weight per piece [g]	92
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	12.787
UV radiance	RG-3
Brand	GE Lighting
Cap/Base	Rx7s

Performance data

Colour Code	865
Rated Lumens [lm]	11000
Weighted energy consumption [kWh/1000h]	165.0
Nominal efficacy [LpW]	73
Rated efficacy [LpW]	73.3
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.3
Nominal chromaticity coordinate Y	0.4
Nominal correlated colour temperature (CCT) [K]	6500
Nominal lumens [lm]	11000
Colour Rendering Index (CRI) [Ra]	85


Electrical data

Rated power [W]	150.0
Lamp Current [A]	1.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	95


Logistic data

DUN Code	19004102352843
EAN Code	9004102352846
Pack Quantity	12
Inner pack type	SLEEVE
Layer quantity	408 EUR, 540 UK
Layer quantity EUR	408
Layer quantity UK	540
Pallet quantity EUR (PC)	1632
Pallet quantity UK (PC)	2160
Outer case size	176 x 136 x 218 (mm)
Product status	Phased-out

Lumen maintenance data



Survival data



Downloads & Links

- [Go to the catalog site \(HTTP\)](#)
- [HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)
- [Arcstream™ Double Ended Data sheet \(EN\) \(PDF\)](#)
- [Lighting design tools & calculators \(HTTP\)](#)
- [High-res images / Technical drawings \(HTTP\)](#)

