

**165**  
kWh/1000h

**A**  
energy class

**80**  
lumens/watt

## Arcstream™ Double Ended UVC

ARC150/TD/UVC/732/RX7s-24 TU  
93102182

### Product information

High brightness, high quality white and coloured light with good colour rendition, excellent colour consistency and energy efficiency make these lamps suitable for retail environments and commercial interiors. Lamps with UVC feature are optimal for museum and retail environments where UV control is important.

### Application areas



Retail



Industrial

### Product data

Product Code	93102182
Light Center Length [mm]	66
Bulb Shape	Double Ended
Bulb Finish	Clear
Maximum Overall Length [mm]	135.4
Net weight per piece [g]	34
Gross weight per piece [g]	68
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	14.5
UV radiance	Exempt
Brand	Tungsrám
Cap/Base	Rx7s

### Performance data

Colour Code	732
Rated Lumens [lm]	12000
Weighted energy consumption [kWh/1000h]	165.0
Nominal efficacy [LpW]	80
Rated efficacy [LpW]	80
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.4
Nominal chromaticity coordinate Y	0.4
Nominal correlated colour temperature (CCT) [K]	3200
Nominal lumens [lm]	12000
Colour Rendering Index (CRI) [Ra]	70


### Electrical data

Rated power [W]	150.0
Lamp Current [A]	1.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	95


### Logistic data

DUN Code	15994100017087
EAN Code	5994100017080
Pack Quantity	12
Layer quantity	408 EUR, 540 UK
Layer quantity EUR	408
Layer quantity UK	540
Pallet quantity EUR (PC)	1632
Pallet quantity UK (PC)	2160
Outer case size	176 x 136 x 218 (mm)
Product status	Available

Lumen maintenance data



## Survival data



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)