

83
kWh/1000h

A
energy class

79
lumens/watt

Arcstream™ Double Ended UVC

ARC70/TD/UVC/730/RX7s TU

93102183

Product information

High brightness, high quality white and coloured light with good colour rendition, excellent colour consistency and energy efficiency make these lamps suitable for retail environments and commercial interiors. Lamps with UVC feature are optimal for museum and retail environments where UV control is important.

Application areas



Retail



Industrial

Product data

Product Code	93102183
Light Center Length [mm]	57
Bulb Shape	Double Ended
Bulb Finish	Clear
Maximum Overall Length [mm]	117.6
Net weight per piece [g]	23
Gross weight per piece [g]	57
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	9.2
UV radiance	Exempt
Brand	Tungsrám
Cap/Base	Rx7s

Performance data

Colour Code	730
Rated Lumens [lm]	5500
Weighted energy consumption [kWh/1000h]	82.5
Nominal efficacy [LpW]	79
Rated efficacy [LpW]	73.3
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.4373
Nominal chromaticity coordinate Y	0.4094
Nominal correlated colour temperature (CCT) [K]	3000
Nominal lumens [lm]	5500
Colour Rendering Index (CRI) [Ra]	78


Electrical data

Rated power [W]	75.0
Lamp Current [A]	1
Design Ambient Temperature [°C]	25
Run-up time (sec)	180
Hot restart time (sec)	600
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	70
Nominal lamp voltage [V]	95


Logistic data

DUN Code	15994100017094
EAN Code	5994100017097
Pack Quantity	12
Layer quantity	408 EUR, 540 UK
Layer quantity EUR	408
Layer quantity UK	540
Pallet quantity EUR (PC)	1632
Pallet quantity UK (PC)	2160
Outer case size	176 x 136 x 218 (mm)
Product status	Available

Lumen maintenance data



Survival data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Product datasheet \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)