

295
kWh/1000h

A
energy class

68
lumens/watt

Arcstream™ Elliptical Diffuse

ARC250/D/VBU/960/E40

32666

Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

Application areas

- Office
- Industrial
- Car park
- Commercial areas



Product data

Product Code	32666
Bulb Shape	Elliptical
Bulb Finish	Diffuse
Maximum Overall Length [mm]	227
Net weight per piece [g]	150
Gross weight per piece [g]	201
Operating position	VBU - Vert Base Up
Mercury Content [mg]	13.574
UV radiance	Exempt
Brand	GE Lighting
Cap/Base	E40

Performance data

Colour Code	960
Rated Lumens [lm]	17080
Weighted energy consumption [kWh/1000h]	294.71
Nominal efficacy [LpW]	68
Rated efficacy [LpW]	63.8
Energy efficiency class (EEC)	A
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	17000
Colour Rendering Index (CRI) [Ra]	90


Electrical data

Rated power [W]	267.9
Lamp Current [A]	3
Design Ambient Temperature [°C]	25
Run-up time (sec)	270
Hot restart time (sec)	420
Ballast Required	Yes
Nominal power [W]	250
Nominal lamp voltage [V]	100


Logistic data

DUN Code	19004102326660
EAN Code	9004102326663
Pack Quantity	12
Layer quantity	96 EUR, 120 UK
Layer quantity EUR	96
Layer quantity UK	120
Pallet quantity EUR (PC)	384
Pallet quantity UK (PC)	480
Outer case size	391 x 295 x 255 (mm)
Product status	Phased-out

Lumen maintenance data



Survival data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[Arcstream™ Tubular, Elliptical Data sheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

