

300
kWh/1000h

A
energy class

76
lumens/watt

Arcstream™ Tubular Clear

ARC250/T/H/960/E40

32664

Product information

High brightness, high quality white light with good colour rendition and energy efficiency makes Metal Halide lamps suitable for many commercial and industrial interiors, particularly in high ceiling areas.

Application areas



Office



Industrial



Car park



Commercial areas



Product data

Product Code	32664
Light Center Length [mm]	150
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	220
Net weight per piece [g]	156
Gross weight per piece [g]	192
Operating position	H45 - Horiz 45 degrees
Mercury Content [mg]	13.574
UV radiance	Exempt
Brand	GE Lighting
Cap/Base	E40

Performance data

Colour Code	960
Rated Lumens [lm]	19210
Weighted energy consumption [kWh/1000h]	299.58
Nominal efficacy [LpW]	76
Rated efficacy [LpW]	70.5
Energy efficiency class (EEC)	A
Nominal correlated colour temperature (CCT) [K]	6000
Nominal lumens [lm]	19000
Colour Rendering Index (CRI) [Ra]	90


Electrical data

Rated power [W]	272.3
Lamp Current [A]	2.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	270
Hot restart time (sec)	420
Ballast Required	Yes
Nominal power [W]	250
Nominal lamp voltage [V]	112


Logistic data

DUN Code	19004102326646
EAN Code	9004102326649
Pack Quantity	12
Inner pack type	SLEEVE
Layer quantity	288 EUR, 372 UK
Layer quantity EUR	288
Layer quantity UK	372
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1116
Outer case size	215 x 162 x 284 (mm)
Product status	Phased-out

Lumen maintenance data



Survival data



Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[HID Lamps Spectrum Catalogue \(EN\) \(PDF\)](#)

[Arcstream™ Tubular, Elliptical Data sheet \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

