

165
kWh/1000h

A+
energy class

109
lumens/watt


ConstantColor™ CMH Tubular Clear StreetWise CMH150/TT/UVC/U/730/E40 STREETWISE TU 93102212

Product information

Until now, public authorities and other organisations have had to choose between high cost, high quality outdoor illumination or low cost alternatives which, even at peak efficiency, make streets and other areas look dingy or dull.

GE's new generation of CMH StreetWise™ lamps especially designed for outdoor lighting offers the best of both worlds. Bright, white, 'natural' light and low costs for both running and maintenance. With CMH lighting, streets and other public spaces can feel safer for pedestrians. More than that, their "daylight" colour rendering improves the ability of drivers to recognise shapes and colours, especially in peripheral vision. This also promotes quicker driver response times.

Application
areas

 Road and tunnel  Street and
pedestrian

 Commercial
areas

Product data

Product Code	93102212
Light Center Length [mm]	132
Bulb Shape	Tubular
Bulb Finish	Clear
Maximum Overall Length [mm]	211
Net weight per piece [g]	133
Gross weight per piece [g]	175
Operating position	universal
Mercury Content [mg]	13.6
UV radiance	Exempt
Brand	Tungsräm
Cap/Base	E40

Performance data

Colour Code	730
Rated Lumens [lm]	16300
Weighted energy consumption [kWh/1000h]	165.0
Rated efficacy [LpW]	109
Energy efficiency class (EEC)	A+
Nominal chromaticity coordinate X	0.44
Nominal chromaticity coordinate Y	0.405
Nominal correlated colour temperature (CCT) [K]	3050
Nominal lumens [lm]	16300
Colour Rendering Index (CRI) [Ra]	68



Electrical data

Rated power [W]	150.0
Lamp Current [A]	1.8
Design Ambient Temperature [°C]	25
Run-up time (sec)	240
Hot restart time (sec)	900
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	100


Logistic data

DUN Code	15994100017384
EAN Code	5994100017387
Pack Quantity	12
Inner pack type	SLEEVE
Outer pack type	OUTER BOX
Layer quantity	288 EUR, 372 UK
Layer quantity EUR	288
Layer quantity UK	372
Pallet quantity EUR (PC)	864
Pallet quantity UK (PC)	1116
Outer case size	215 x 162 x 284 (mm)
Product status	Available


Light distribution



Lumen maintenance data



Survival data



Downloads & Links

- [Go to the catalog site \(HTTP\)](#)
- [Photometry \(IES\)](#)
- [Product datasheet \(PDF\)](#)
- [High-res images / Technical drawings \(HTTP\)](#)

