

4

kWh/1000h

A++

energy class

77

lumens/watt

## LED GU10




LED Start GU10 3.5W(35) 840 35° TU  
1/8

93094482

## Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.

## Application areas

-  Retail
-  Office
-  Hospitality
-  Home

## Product data

Product Code	93094482
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	Tungsräm
Cap/Base	GU10
Replacement Product Code	93118613

## Performance data

Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	550
Rated Lumens [lm]	250
Weighted energy consumption [kWh/1000h]	3.5
Useful lumens (at 90° cone) [lm]	250
Rated efficacy [lm/W]	71.4285714285714
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	15 000
Nominal correlated colour temperature (CCT) [K]	4000
Nominal lumens [lm]	270
Colour Rendering Index (CRI) [Ra]	80


## Electrical data

Nominal lamp power factor...	0.5
Rated power [W]	3.5
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	3.5

## Logistic data

Shipment	Standard
DUN Code	20064894509579
EAN Code	0064894509575
Pack Quantity	8
Inner pack type	Box
Product status	Available

## Light distribution



## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Photometry \(IES\)](#)

[Product datasheet \(PDF\)](#)

[Product datasheet \(FR\) \(PDF\)](#)

[Datasheet \(PDF\)](#)

[Images \(HTTP\)](#)

[Doc documents Gen7 \(PDF\)](#)

[Doc documents Gen8 \(PDF\)](#)

[Datasheet \(FR\) \(PDF\)](#)

