
TUNGSRAM

Innovation is our heritage EST. 1896







LED GU10

LED Start GU10 3.5W(35) 865 35° TU 1/8

93094484

Product information

This new entry level range of highly competitive LED GU10 and R50 products consume only 3.5W and 5W respectively and offer a fantastic energy saving alternative to 50W and 35W Halogen GU10 lamps.

Application areas

(Retail

Office





Home



Product data

Product Code	93094484
Bulb Shape	PAR
Bulb Finish	White
Bulb maximum overall diameter [mm]	50
Nominal Length [mm]	53
Net weight per piece [g]	29
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	GU10
Replacement Product Code	93118614

Performance data

Nominal/ Rated Beam Angle [°]	35
Nominal center beam candlepower (CBCP) [cd]	550
Rated Lumens [lm]	240
Weighted energy consumption [kWh/1000h]	3.5
Useful lumens (at 90° cone) [lm]	240
Rated efficacy [lm/W]	68.5714285714286
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	15 000
Nominal correlated colour temperature (CCT) [K]]	6500
Nominal lumens [lm]	250
Colour Rendering Index (CRI) [Ra]	80




Electrical data


Nominal lamp power factor	0.5
Rated power [W]	3.5
Number of switching cycles	50 000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240
Nominal power [W]	3.5


Logistic data

Shipment	Standard
DUN Code	20064894509586
EAN Code	0064894509582
Pack Quantity	8
Inner pack type	Box
Product status	Available

Light distribution









LED GU10 LED Start GU10 3.5W(35) 865 35° TU 1/8 93094484

Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

Product datasheet (PDF)

Product datasheet (FR) (PDF)

Datasheet (PDF)

Images (HTTP)

Doc documents Gen7 (PDF)

Doc documents Gen8 (PDF)

Datasheet (FR) (PDF)

