
TUNGSRAM

Innovation is our heritage EST. 1896







LED T8 Value Glass

LEDT8 VG 0.6m 8W 840 100-240V 1/15 TU

93112600

Product information

The LED T8 VG Glass range offers safe, reliable and affordable energy saving alternatives to standard Fluorescent T8 lamps. Available in 60cm, 120cm, 150cm and 180cm lengths, GE LED T8s can be quickly fitted as a replacement into luminaires operating on electro-magnetic control gear or on electronic gear with a simple re-wire (for further details see installation guide).

Application areas



Office



Hospitality



Industrial



Car park



LED T8 Value Glass LEDT8 VG 0.6m 8W 840 100-240V 1/15 TU 93112600

Product data

93112600
Linear tube
White
28
CE certified
604
600
130
Universal
Yes
Tungsram
G13

Performance data

Nominal/ Rated Beam Angle [°]	200
Colour Code	840
Rated Lumens [lm]	1000
Weighted energy consumption [kWh/1000h]	8.0
Rated efficacy [lm/W]	125
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	40000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	1000
Colour Rendering Index (CRI) [Ra]	80



LED T8 Value Glass LEDT8 VG 0.6m 8W 840 100-240V 1/15 TU 93112600

Electrical data

Nominal lamp power factor	>0,9
Rated power [W]	8.0
Operating Temperature (MIN) [°C]	-20
Operating Temperature (MAX) [°C]	40
Startup time [sec]	<0,5s
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	100-240
Nominal power [W]	8
Nominal lamp voltage [V]	230

Logistic data


DUN Code	10064894519786
EAN Code	0064894519789
Pack Quantity	15
Inner pack type	Sleeve
Outer pack type	Corrugated BOX
Pallet quantity EUR (PC)	630
Outer case size	715x200x155mm
Product status	Available





LED T8 Value Glass

LEDT8 VG 0.6m 8W 840 100-240V 1/15 TU 93112600

Light distribution







Downloads & Links

Go to the catalog site (HTTP)

Photometry (IES)

High-resolution image (JPG)

Datasheet (PDF)

Installation guide (PDF)

Images (HTTP)

Datasheet (FR) (PDF)