



PAR 46

4553 28.0V


24799

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Product Code	24799
Bulb Shape	PAR
Bulb Diameter [mm]	146.1
Maximum Overall Length [mm]	95
Net weight per piece [g]	387
Gross weight per piece [g]	430
Brand	GE Lighting
Cap/Base	Screw terminal

Performance data

Nominal/ Rated Beam Angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	300000

Electrical data

Lamp Current [A]	8.93
Coil type	CC-8
Ballast Required	Yes
Nominal power [W]	250
Nominal lamp voltage [V]	28

Logistic data

DUN Code	00043168247993
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	576
Outer case size	295 x 259 x 389 (mm)
Product status	Phased-out

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination



Tungsram is a registered trademark of
Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.