



**1060**

kWh/1000h

**C**

energy class

## PAR 64

Q1000PAR64WFL 120V

43499

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

## Application areas



Club and Disco



## Product data

Product Code	43499
Bulb Shape	Mirrored reflector
Bulb Diameter [mm]	50.8
Maximum Overall Length [mm]	44.45
Net weight per piece [g]	951
Gross weight per piece [g]	1057
Brand	GE Lighting
Cap/Base	GX5.3

## Performance data

Nominal/ Rated Beam Angle [°]	30
Nominal center beam candlepower (CBCP) [cd]	33000
Rated Lumens [lm]	13300
Weighted energy consumption [kWh/1000h]	1060.0
Useful lumens (at 90° cone) [lm]	13300
Energy efficiency class (EEC)	C
Rated Life [h]	500
Nominal correlated colour temperature (CCT) [K]	3250
Colour Rendering Index (CRI) [Ra]	100

## Electrical data

Rated power [W]	1000.0
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	150
Nominal lamp voltage [V]	20

## Logistic data

DUN Code	00043168434997
EAN Code	0043168434997
Pack Quantity	6
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	252
Outer case size	197 x 354 x 551 (mm)
Product status	Phased-out

## Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

## Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.