



1000
kWh/1000h

C
energy class

21
lumens/watt

Single Ended Halogen

T19 FWR 230-240V

88457

Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas



Film and Broadcast



Theatre



Product data

| | |
|-----------------------------|-------------|
| Product Code | 88457 |
| Light Center Length [mm] | 55 |
| Bulb Shape | Tubular |
| Bulb Diameter [mm] | 35 |
| Maximum Overall Length [mm] | 105 |
| Net weight per piece [g] | 45 |
| Gross weight per piece [g] | 150 |
| Brand | GE Lighting |
| Cap/Base | GX9.5 |

Performance data

| | |
|---|--------|
| Rated Lumens [lm] | 21000 |
| Weighted energy consumption [kWh/1000h] | 1000.0 |
| Energy efficiency class (EEC) | C |
| Rated Life [h] | 750 |
| Nominal correlated colour temperature (CCT) [K] | 3050 |
| Nominal lumens [lm] | 21000 |
| Colour Rendering Index (CRI) [Ra] | 100 |

Electrical data

| | |
|--------------------------|--------|
| Rated power [W] | 1000.0 |
| Coil type | C-13D |
| Dimming Capability | Yes |
| Ballast Required | No |
| Nominal power [W] | 1000 |
| Nominal lamp voltage [V] | 240 |

Logistic data

| | |
|--------------------------|----------------------|
| DUN Code | 10043168884577 |
| EAN Code | 0043168884570 |
| Pack Quantity | 12 |
| Inner pack type | BOX |
| Outer pack type | OUTER BOX |
| Layer quantity | 144 EUR, 180 UK |
| Layer quantity EUR | 144 |
| Layer quantity UK | 180 |
| Pallet quantity EUR (PC) | 1152 |
| Pallet quantity UK (PC) | 1440 |
| Outer case size | 190 x 350 x 126 (mm) |
| Product status | Available |

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

Disclaimer

Special Purpose Lamp, Not suited for household illumination