
TUNGSRAM[™]

Innovation is our heritage EST. 1896






Product information

Tulox High Pressure Sodium lamps have led the way in quality and innovation. Exclusive amalgam reservoir design works to increase life expectancy and improve lumen maintenance.

With efficiencies approaching 130 lumens per watt, Tulox Standard lamps are the most efficient light source available with acceptable colour rendering. High efficiency results in lower operating costs and thus a lower electricity bill. Most Tulox lamps have an average rated life of up to 28,500 hours. Long life means lower replacement and maintenance costs.

Application areas





🖞 Commercial areas

Product data

Product Code	93767
Light Center Length [mm]	133
Bulb Shape	Tubular
Bulb Finish	Clear
Bulb Diameter [mm]	48
Maximum Overall Length [mm]	211
Net weight per piece [g]	140
Gross weight per piece [g]	176
Operating position	U - Universal
Mercury Content [mg]	13.28
Brand	GE Lighting
Cap/Base	E40

Performance data

9640
107.57
96
98.6
A+
2000
9600
25

Electrical data


Rated power [W]	97.8
Lamp Current [A]	1.2
Design Ambient Temperature [°C]	25
Run-up time (sec)	240
Hot restart time (sec)	60
Ballast Required	Yes
Nominal power [W]	100
Nominal lamp voltage [V]	100

Logistic data


EAN Code0043168937672Pack Quantity12Layer quantity288 EUR, 372 UKLayer quantity EUR288Layer quantity UK372Pallet quantity EUR (PC)864Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	DUN Code	20043168937676
Layer quantity288 EUR, 372 UKLayer quantity EUR288Layer quantity UK372Pallet quantity EUR (PC)864Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	EAN Code	0043168937672
Layer quantity EUR288Layer quantity UK372Pallet quantity EUR (PC)864Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	Pack Quantity	12
Layer quantity UK372Pallet quantity EUR (PC)864Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	Layer quantity	288 EUR, 372 UK
Pallet quantity EUR (PC)864Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	Layer quantity EUR	288
Pallet quantity UK (PC)1116Outer case size215 x 162 x 284 (mm)	Layer quantity UK	372
Outer case size 215 x 162 x 284 (mm)	Pallet quantity EUR (PC)	864
	Pallet quantity UK (PC)	1116
	Outer case size	215 x 162 x 284 (mm)
Product status Phased-out	Product status	Phased-out

TUNGSRAM

Lumen maintenance data



Survival data



Downloads & Links

Go to the catalog site (HTTP) HID Lamps Spectrum Catalogue (EN) (PDF) HPS Lucalox[™] Lamps - Data sheet (EN) (PDF) Lighting design tools & calculators (HTTP) Datasheet (PDF) High-res images / Technical drawings (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.