TUNGSRAM[™]

Innovation is our heritage EST. 1896



Tungsram Deco Candle Filament LED Fil Candle 4.5W 840 E27 FR TU 93115528

Product information

Tungsram introduces its new decorative range of LED Filament Candle and Spherical lamps available in 3 colour temperatures. Consuming only 2.5W, 4.5W and 7W they are a fantastic energy saving alternative to the Halogen lamps with new, high quality aesthetics.


Application areas





(a) Home





Product data

Product Code	93115528
Bulb Shape	B35
Bulb Finish	Frosted
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	95
Net weight per piece [g]	16
Dimmability	No
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E27

Performance data

Nominal/ Rated Beam Angle [°]	300
Rated Lumens [lm]	470
Weighted energy consumption [kWh/1000h]	4.5
Rated efficacy [lm/W]	104
Energy efficiency class (EEC)	A++
Rated life L70/B50 [h]	15000
Nominal correlated colour temperature (CCT) [K]]	4000
Nominal lumens [lm]	470
Colour Rendering Index (CRI) [Ra]	80

Electrical data

Nominal lamp power factor	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50000
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	4.5

Logistic data

Shipment	Standard
DUN Code	25994100043205
EAN Code	5994100043201
Pack Quantity	10
Product status	Available

135° 50 135° 120° 120° 20 105° 105 30 90° 90° 20 75° 75° 60° 60° 45 45° 180° 135° 180 470 lm cd cd _____C0 - C180 470 lm C0 - C180 C90 - C270 C90 - C270

Light distribution

Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (FR) (PDF) Datasheet (PDF) Images (HTTP) DoC document (PDF) Datasheet (FR) (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.