JГUNGSRAM[™]

Innovation is our heritage EST. 1896





Tungsram Deco Golf Filament LED Fil Golf 7W 827 B15 FR TU 93115992

Product information

Tungsram introduces its new decorative range of LED Filament Candle and Spherical lamps available in 3 colour temperatures. Consuming only 2.5W, 4.5W and 7W they are a fantastic energy saving alternative to the Halogen lamps with new, high quality aesthetics.

Application areas





(a) Home

Product data

| Product Code | 93115992 |
|------------------------------------|----------|
| Bulb Shape | P45 |
| Bulb Finish | Frosted |
| Bulb maximum overall diameter [mm] | 45 |
| Nominal Length [mm] | 77.5 |
| Net weight per piece [g] | 15 |
| Dimmability | No |
| RoHS compliant | Yes |
| Brand | Tungsram |
| Cap/Base | B15 |

Performance data


| Nominal/ Rated Beam Angle [°] | 300 |
|--|-------|
| Rated Lumens [lm] | 806 |
| Weighted energy consumption [kWh/1000h] | 7.0 |
| Rated efficacy [lm/W] | 115 |
| Energy efficiency class (EEC) | A++ |
| Rated life L70/B50 [h] | 15000 |
| Nominal correlated colour temperature (CCT) [K]] | 2700 |
| Nominal lumens [lm] | 806 |
| Colour Rendering Index (CRI) [Ra] | 80 |

Electrical data

| Nominal lamp power factor | >0.5 |
|---|------------|
| Operating Temperature (MIN) [°C] | -20°C |
| Operating Temperature (MAX) [°C] | +40°C |
| Starting time (sec) | <0,5 s |
| Warm up time up to 60% of full light output | Instant on |
| Number of switching cycles | 50000 |
| Nominal lamp voltage range [V] | 220-240V |
| Nominal power [W] | 7 |

Logistic data

| Shipment | Standard |
|----------------|----------------|
| DUN Code | 15994100047831 |
| EAN Code | 5994100047834 |
| Pack Quantity | 10 |
| Product status | Available |



Light distribution

Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (FR) (PDF) Datasheet (PDF) Images (HTTP) DoC document (PDF) Datasheet (FR) (PDF)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.