TUNGSRAM[™]

Innovation is our heritage EST. 1896



Tungsram Start Candle LED3.5/B35/865/E14/220-240V/FR TU 93063981

Product information

Tungsram's new entry level range, the LED Start Decorative lamps is the very best offer when price is the priority.

With its 2 colors temperatures and 3 caps for each wattages this highly competitive range offers a fantastic growth opportunity for LED.

Application areas



Home Home



Product data

Product Code	93063981
Bulb Shape	B35
Bulb Finish	white
Bulb maximum overall diameter [mm]	35
Nominal Length [mm]	108
Net weight per piece [g]	22
RoHS compliant	Yes
Brand	Tungsram
Cap/Base	E14

Performance data

Rated Lumens [lm]	270
Weighted energy consumption [kWh/1000h]	4.0
Rated efficacy [lm/W]	77.14
Energy efficiency class (EEC)	A+
Rated life L70/B50 [h]	10 000
Nominal correlated colour temperature (CCT) [K]]	6500
Nominal lumens [lm]	270
Colour Rendering Index (CRI) [Ra]	80


Electrical data

Nominal lamp power factor	>0.5
Operating Temperature (MIN) [°C]	-20°C
Operating Temperature (MAX) [°C]	+40°C
Starting time (sec)	<0,5 s
Warm up time up to 60% of full light output	Instant on
Number of switching cycles	50000
Dimming Capability	No
Nominal lamp voltage range [V]	220-240V
Nominal power [W]	3.5

Logistic data

Shipment	Standard
DUN Code	10064894572064
EAN Code	0064894572067
Pack Quantity	10
Product status	Phased-out

Light distribution



Downloads & Links

Go to the catalog site (HTTP) Photometry (IES) Product datasheet (PDF) Images (HTTP)



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.