
# **TUNGSRAM**

Innovation is our heritage EST. 1896











# Discharge - Single Ended Hot Restrike

CSR 2500/SE/HR/UV-C 93106225

### **Product information**

Compact, single ended metal halide hot restrike lamps for a variety of applications requiring high luminance, reliability and excellent colour characteristics. Excellent colour rendering, Ra>90, and high CCT 5600–6000 K with superior colour stability- Universal burn position with hot restrike capability- High efficiency with excellent lumen maintenance

#### Application areas



Film and Broadcast







# Discharge - Single Ended Hot Restrike CSR 2500/SE/HR/UV-C

CSR 2500/SE/HR/UV-C 93106225

### Product data

Product Code	93106225
Light Center Length [mm]	127
Bulb Shape	Globe
Bulb Finish	Clear
Bulb Diameter [mm]	60
Maximum Overall Length [mm]	240
Arc Gap	14
Net weight per piece [g]	640
Gross weight per piece [g]	727
Operating position	U - Universal
Brand	Tungsram
Cap/Base	G38

### Performance data

Colour Code	956
Rated Lumens [lm]	220000
Weighted energy consumption [kWh/1000h]	2750.0
Energy efficiency class (EEC)	A
Nominal chromaticity coordinate X	0.33
Nominal chromaticity coordinate Y	0.325
Nominal correlated colour temperature (CCT) [K]]	5600
Nominal lumens [lm]	220000
Colour Rendering Index (CRI) [Ra]	90



# Discharge - Single Ended Hot Restrike

93106225

### Electrical data

Rated power [W]	2500.0
Lamp Current [A]	21.7
Dimming Capability	No
Ballast Required	Yes
Nominal power [W]	2500
Nominal lamp voltage [V]	115

### Logistic data

DUN Code	15994100020711	
EAN Code	5994100020714	
Pack Quantity	6	
Inner pack type	BOX	
Outer pack type	OUTER BOX	
Layer quantity	36 EUR, 66 UK	
Layer quantity EUR	36	
Layer quantity UK	66	
Pallet quantity EUR (PC)	108	
Pallet quantity UK (PC)	132	
Outer case size	385 x 280 x 346 (mm)	
Product status	Available	

### Downloads & Links

Go to the catalog site (HTTP)

Entertainment Solution Spectrum Catalogue (PDF)

Lighting design tools & calculators (HTTP)

High-res images / Technical drawings (HTTP)



## Discharge - Single Ended Hot Restrike

CSR 2500/SE/HR/UV-C 93106225

#### Disclaimer

Special Purpose Lamp, Not suited for household illumination